	Application No.	Applicant(s)
Notice of Allowability	10/625,617	OZAWA ET AL.
	Examiner	Art Unit
	Jean E. Lesperance	2629
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communicatio IGHTS. This application is subject	oplication. If not included n will be mailed in due course. THIS
1. This communication is responsive to the amendment filed	October 27, 2006.	
2. The allowed claim(s) is/are 15-28, and renumbered as 1-14	<u>4</u> .	
 Acknowledgment is made of a claim for foreign priority una)	e been received. e been received in Application No cuments have been received in this of this communication to file a reply	national stage application from the
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER	R'S AMENDMENT or NOTICE OF
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da	ment/Comment

Application/Control Number: 10/625,617 Page 2

Art Unit: 2629

DETAILED ACTION

1. The amendment filed October 27, 2006 is entered and claims 15-28 are pending.

Allowable Subject Matter

- 2. Claims 15-28 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: the claimed invention is directed to a display apparatus.

Independent claims 15-21, 23, and 26-27 identify a uniquely distinct feature "the single opposite electrode overlapping the plurality of common power supply lines, and the single opposite electrode being formed for the plurality of pixel electrodes".

The closest art, Utsugi et al. as discussed above, either singularly or in combination, fails to anticipate or render obvious the above limitations obvious.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean Lesperance whose telephone number is (571) 272-7692. The examiner can normally be reached on from Monday to Friday between 10:OOAM and 6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Richard Hjerpe, can be reached on (571) 272-7691.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(571) 273-8300 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Jean Lesperance

Art Unit 2629

Date 3/8/2007

RICHARD HJERPE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600